

Slim 25

Single-sided textile frame

● NF-04250 / NF-04250PH

● NF-21250 / NF-21250PH

○ NF-56250 / NF-56250PH

● Any colour possible


Specifications

↔ 25 mm

📦 0.476 kilos/meter

↗ 6150 mm

💡 Unlit



About the Slim 25

The Slim 25 is a cost-effective and sturdy single-sided profile. The profile is also available pre-drilled, with holes every 40 cm, making it possible to attach it directly to the wall.

The advantages

- ✓ Sturdy profile
- ✓ Two mounting options
- ✓ Three standard colours
- ✓ Option: frame with punch holes



Slim 25 Single-sided textile frame

Mounting



Wall-mounted

Wall mounted frames with just one textile.

Stabilizers



Stabilizers

In order to guarantee the stability of the frame, stabilizers must be placed in the frame. This way the construction is sturdy.

Punch holes



Without punch holes

Attach the frame to the wall with screw fastening or use wallmounts with a levelling screw.



Pre-drilled

To simplify the installation, the frame can be supplied with pre-drilled holes, called punch holes. This makes the pre-drilled frame quicker to install.

Recommended accessories

Akoestiek



Therm Acoustic
FK-8930

Wall mounts



Wall mount simple
FK-0400



Wall mount heavy
FK-0410

Ceiling mounts



Ceiling mount slim
FK-0420



Ceiling mount slim suspension
FK-0422

Locksets



Lockset simple large single plate
FK-0214B



Lockset stabilizer
FK-0220



Lockset stabilizer 45°
FK-0222

Extension sets



**Extension set
Eco/Simple**

FK-0510

Stabilizers



Stabilizer 44

NF-04438